Note: the following pages are from brochures only pertaining to the appropriate vehicle. This is not a complete brochure.



and the second	
Silver* • Code 15	Medium Yellow • Code 50
Ginnabar • Code 77	
ot Century Sport Coupe & Sport W	agon Option
Medium Blue*  Code 21	Dark Blue*   Code 29
Beige   Code 59	Medium Brown* • Code 69
and the second se	And the second
Light Gray   Code 85	a series de la
st Skyhowk Skylock Century Soort	Course & Sport Wagon Option
1 Sec. 11.	
ylark only	Regal Somerset Special Colors
	Dark Blue* • Code 29 and Somerset Tan • Code 38
s (extra cost)	
Groy Firemist*   Code 98	Dark Brown Firemist*   Code 99
Colors	Ask your Buick salesperson
	obout selected standard car colors that are also used as Accent Colors. *Metallic paint
	Cinnobar • Code 77 of Century Sport Coupe & Sport W Medium Diue* • Code 21 Deige • Code 59 Light Gray • Code 85 of Skyhawk, Skylark, Century Sport ylark only g (extra cost) Gray Firemist* • Code 98



One of life's pleasaures is getting sentechning you ready need. Life-tion contributing you ready need. Life-tion of the sentechning of the sentechning of the sentechning of the sentechning and havang Ceam, crisig, externary appendixes set off by a new giftle. Some Century Wagan haves and you match the one of them is want the look sented for all one sporting machinery that would be our Sport Wagan. By any visual disage, made even more deficious an the driving.

As for the Century Wagen on the left, pair can see that (1) a track more fairsy. Dari's the Century Extends more fairsy with it, we reestablish the tradition of Sciaze Wagenis. No matter which Century Wagen with your fairsy, you'll find a los to his in the way of contact and unity. With 71.18 rubic feer of food space with the second seat folded down, Or contortable senting for six A.31 Miter 96. automate transmission and power-assisted beakers. All standard. All on a trum, 109.1° wheellause.

Inside, this new Century Wagon can be externed with all empl funct and trait sturts. Or, if you prietry, you can order a that front, sing rear was combination and that's sturednat. In the popular mid size wagon category, there probably arrive machine actions with more ship, prostraaling, and havey than our Century models. Their crops systing underscores there und havey than our Century models. Their crops systing underscores there undity their plank interview being their buck beritage. New, the Century Magons are use of links pleasures.

Ormerate Wagtown &

..... 1

and Variation

The second secon 1 1 1

BURNS COUNTY CO-OP ¥. 2



**Century Wagons** 

980 Century W	agons Buyer's Gu	lide.					
			Manual States and States and	AVAILABLE MODELS		DOMENDADING	
				Convert Process Wagon	839	The Inches	1.741106.0
	6			Dessare Desses Wagon	1000	Freed Acar	0.000 000.00
	1	117-11		Counsel Squart Magnet	WEI system on Nodel 2101	Read /har	1.007-101.00
				and the second		Longen	8.075 (80k.0)
	11 1	1	100 2.00 001	SPECIAL PACKAGE		Woma	1.8.04 172.91
			100 0 00	and the second se	the second second second second	Neight	1.410 (00 T
	AC	~ //		Century Sport Wagon Parkage in Schuber Mark publied speeds by			
		1		shind sopers, window reveal mole		Planet Interferen	
	0	All and the second	and and the p	dwalteserst, whent opening molding	an air deflectus, sport iterners.	Read Acres	1995 (34.4)
	CALCERT THE PARTY	Proventing in	A PARTY AND A PARTY AND A	Hank doval. Balton rule and hund	ling suspension, steel latited	Lagreen	1.000 (00.0)
A Part	and the Tab	- Aller And	S CARGE IN	mental ply P205 7000 14 store and	Drongment Sport wheels (4).	Manadaker years	6.440 (ML7)
12 ACCEPTED	- Serie COV	CALL IN	COLOR IS COLOR			The second	1.546 (102.4)
				POWERTEAMS		Real Manager	
12 - Carlos -	CALLER S	Can I'm Can	A. P. E. B. H.			Read Streeture	INTE CALL
And I THE DESIDE		0		Resident Angles	2.6 Boor 1874 Citil 2 Mid. V.6		913 181.60
De Certanter Va	The second second	1		and des engineer	4.0 mm 1000 (000 a and V.a*	Lagreenin Merediket trees	Kale OF I
DAGENER	AND DE CONTRACTOR				Add None Diels Chill & Son, 17-54	The second	6.412 (B0.0)
ALL		ALA			5.0 mm (200 (201 - 5.0ch V.d.	Cargo capacity State (so. 8.)	8.841 (71.4)
- India	A CARD	and the second of the		Production of Comparison	and the second sec		
	- M						
	- M						
Contraction of the second of	The	ATALABLE EQUIPMENT	-			ORDERING GATE	
ngtare High Knorge Ignition	Conditionations form algorithm	Engine (2 Drawy dury battery	Interchal C 8 way jacent with	Commence group Titled	Disseligits with languines	CREWSING GATERE Mindel adjected	Inter enables ar defects     Prostationed estimation
EARDARD EQUIPMENT agliae High Earny: Juntion Chief Predicat Barry Semi-Head coding spaces	Condustations four segmed and highly her hearn contrail     Bagting free docs operated desar ficturity if from and rea- docs operated datase. countrain:	Englise Diffusive duty battery Diffusive and trans- mission contrat	C is way power seld C Carpet assers and hareft state C Carpet savers and hareft state	sampa ori "stalining glove simpartenent, aslittus courtess, similarle usup light, rear com- series light, rear door jamb	Appearance and Protection O Designers' Access part DLA.		Promettive body eath mobilings     Styled alcommune ethnels (A)     Least flowr area curpes     iCenturys
gine Digh Knengr Ignition Delvo Preciosi Battery Setto chesti cooling system ands	Eigh-low beam control Eights front door operated denie (Control) front and mae- door operated them, courtem, glave compartment, address,	Engine Theay duty bettery Decy duty million and frame million carding Engine block better S california association line	C II way power seat Carpet assers and hand scate Carpet assers and hand scate with carpet issers with carpet issers D Lighted visor vanity same	tarepa-sel" trabastas glove integratementi, seletras, contress, semihado noga laght, evar con- partmenti laght, evar door jamb- secuch (Contrary)	Appearance and Protection O Designee's Assess pacter (N.A. with solid grain applicate or	Madel adorted: Englac shakes	Protective body each meddings     Styled electroners etherie (A)     Cost from arms tarpet     ICostneys     Differentiation
glos Ingle Knorgy Ignition Deles Previous Battery Semi-channel cooling system ands Automotic trainanteeum	Imply low beam control Imply from door operated denie Postmary's front and man- door operated done, courtees glow competitionent, address, manshade map, rear compart	Engine Theory duty buttery Heavy duty buttery Heavy duty major and trans- ministen confirm Discripte block butter Discripte block butter Discri	Swapppevert stat     Carpet severt and hand suste     Carpet severt and hand suste     with carpet insers     with carpet insers     Lighted viser vanity carms     (passecipt)	areges or 'stationing glow indepartment, adultan marting, combain most light, war can arrivel light, war door jamb aroch (Certory) Through control, maindde, tran	Nutingers Aught Swarsse Appearances and Protection Charagness Access path (NA), with social grain applique or Sperit Wages Oppland	Model scherend: Engine choice: Be sure to comoder:	<ul> <li>Promotive body each multileg</li> <li>Styled alcommuni wheels (A)</li> <li>Least floor area curpet</li> <li>(Century)</li> </ul>
glue high Korryy Ignition Dero Preedon: Battery Setti - finnet cooling system Automotic transmession Martan Strering	Engls fore beam control. III Lightin from disco-operated denir (Chriminy) Frincis and mae- door operated clone, courten; give compartment, isotrop, numbhale sup, rear compart- ners), ThesiGaraga millionation.	Englise C Hoavy duty battery C Hoavy duty battery C Hoavy duty million and trans- misation carding C California assentialy line entanion equipment, C-4 footim and testing (required in	B way power sold     Griphi assers and hand state     Griphi assers and hand state     Griphi assers and hand state     With carpet (osers     Lighted visor same same     Ipaneorgy)     Delighted visor same same	surges of talkasting glow integratework, solution, courtesp, sonalizationesp light, your case security (Contrary) "Remote control, suitable, tran- tere memory (Decision, courtesp sport)	Appearance and Protection O Designee's Assess pacter (N.A. with solid grain applicate or	Madel selected Englise shore: Be sure to consider: Down selecting	Protective body eath multilling     Ny led electroners where bits     Least flow area carpet     ICentury     Differing in with transport.
gian high Kongy Ignition Vito Preclast Intravy and full matrix transmission Monal Interving Next Inside: Therpion Perform Crashing up Next Inside:	2 high-low beam centred B Lights (where done equivalent done interaction of the stand man- done optimized done, counting, glave comparison solution, manihalti mag, rear comparts ments, "Headingment" (Educator (Educate Wagnet) B Lift-optified-down tadgenet	Engine Theory duty buttery Heavy duty buttery Heavy duty major and trans- ministen confirm Discripte block butter Discripte block butter Discri	Swapppevert stat     Carpet severt and hand suste     Carpet severt and hand suste     with carpet insers     with carpet insers     Lighted viser vanity carms     (passecipt)	serges of technology glove immediates, and tray, countrous, similation mugi light, rear rans- germent light, rear show pants- simerin (Country). 2 Tensitie countrol, samidde, trais- tiese mirror. 3 Oktober, rearrow sport 3 Oktober, rearrow sport	halogen fogh beams Appearance and Protoction (1) Designer: Access path (NA, with social grant application barry Wagns Operation 1) Cycler constitution (seature from a land, not, seat beins and from size and beins from size and beins from size and from size	Middel selected: Englise cluster: Desaurs to comiden: Diverse restoring Antonusca boot control O berei l'etchic, restau qu	Promotive body safe multilog     Sinjied abore must be to the     Load discrement etheries     Load discrement target     Loadingfeis writh tangenese     Talaget fogie forme
gian high Europy Ignition Other President Eutory Settin Hanni Cooling system Manual Asterning Manual Asterning Therefields - Tatalia pip Straffield Intern	Taigh-Ton beam control. In Lightin: from dioce-operated domin (Controly): From and man- door operated idente, courtening giver control to dotting, muschastic angl, rest comparts ments, "Heindiaregia an" indicator (Extrait Wagon)	Engine CI Hoay day haviny El Hoay day rapher and trans- ministic repting D Expire Next Nexter D California assertify lice emission expirement. C-4 Hystem and training inspired in California C 70-amp Ericeisian generator	B wey power will     Garpet severs and handl state     Garpet severs and severs and handle     Garpet severs	emps of technical glove impactment, and they constrain semilarly map light, your part- agement of glob, your door parts second I Convery). 2. Browsky constraints, mailedge, thus they constrain they constraints, and they constraint informer (b) hand ensues tights said teamwail).	Indigen bigh tenne Appearance and Protection (Descriptory Annext posterior RDA, with wood grain applique or been Wagen Option II Childre countribution (subtain threat and neuropy seek beins and threat allowed better II Charles memory whiled	Mindel selected. Englise choice De sure to consider D Aurer electron Autoentral Most control D Steel techto, realing op P1005/2010 A times	Promotive body safe multilog     Sinjied abore must be to the     Load discrement etheries     Load discrement target     Loadingfeis writh tangenese     Talaget fogie forme
dian high Rowry's Ignition Mon Preclass: Battery instructions of the second methods of the second methods of the second New Transes Wergano before, rankal pip 67-7574/44 times Sampart Sparentim	2.2020 New bears control B. Lights rever disco-operation down rContrary front and man- deer operation down contraries giver comparison to down and ments. There are compare ments. There are compare interactive Wagont B. Life-up-field-down indigues B. Bran informage recomparitonisis	Engine II Hoay duty buttery II Hoay duty mighter and trans- restation exciting I Engine focks (hoster II) California associated for transmission enginematics of California II To any Defaultion generation II To any Defaultion generation	determined and control of the series of the series and handle states of the series and handle states with comparing takenses (particular states) and the series of th	surge out, 'unlineaus, glove instantationen, saintan, courtes, simulatik ingo laft, out out out- sente (Courter) "Evente courtes, annabe, trai- tiske missio Eventes, and exaministic train- iske missio Totasido, nonrisee sport internes dich tand exaministici and inserval 2. Unter pochet	Indigen bigh tenne Appearance and Protection (Descriptory Annext posterior RDA, with wood grain applique or been Wagen Option II Childre countribution (subtain threat and neuropy seek beins and threat allowed better II Charles memory whiled	Mindel activities Englise cluster Density of the second second Density of the second second Density of the second second second Provide 2018 LA second Density of the second seco	Promotive body safe moliting     Styled absormans ethnesis (A)     Load discertains ranges     Contrary     Doublights with transmer-     Rainger high-forume
gine July Karryy Antilion Mike Perdatu Batryy Jetti elimati cooling spatne Manual Alerryg Veret Instace Therphane beford, rasial july 67787141 uren Therphane beford, rasial july 67787141 uren Therphane beford, rasial july 67787141 (July Content and Therphane beford)	<ul> <li>Taglichow beam control</li> <li>Lightin freed-shoc-operation/ dense (Centrary): fronts and reac- door-operated doing, countening give compartment, addring, multi-laber and program (indicator fibrate Wagne)</li> <li>Lito-up/risk-deven ladgene</li> <li>Transitioning rempartments</li> <li>Appearance and Protection</li> </ul>	Engine C Hoary-duty battery E Hoary-duty patient and trans- engine contrag- C Hoary-duty matches C Collision associative floor mission explorem, C-4 Systems and resting required to California C To say Definition generation C To say Definitions generation C D Hoary sectors	Corper avery provent world     Corper avery and Named Insuite     Corperation     Corperation     Corperation     Corperation     Corperation     Corperation     Corperation     Corperation	serge-ord" trailensing glove memoral transfer, sentrals, courtes, simulation page labb, rear store partnerset (Bgr, rear store page) serces (Dermory) Thereose courts(), antidad, thus the entroir "Desaids, nonrrise sport transfer, Ord, hand stasset, sight and nonroul "Extra packet "Extra packet	hungern Augh teenes Appearance and Protection Chevagenes Ansext potent (BA, with wood grains applyings or beern Wagen Orthons II Color countinated evaluate breast allowater terts II Color severing while II Color storering while II Color storering while II Speet storering terted II Street Store Store Store II Storering to Store II Storering to Store II Storering the Storering	Minist essented Englise statute Be same to consultant D Avere starting C Atomistic hold control Disord Sector Area Disord Area Disord Sector Area Disord A	Promotive body safe multilog     Sinjied abore must be to the     Load discrement etheries     Load discrement target     Loadingfeis writh tangenese     Talaget fogie forme
gine Sigh Karryr ignition Was Prestaus Entryy Intri-Hannick traitanteense Annual Moving Teoritan Sciences Annual Moving Teoritan Sciences Annual Annual Sciences Annual Annual Sciences Sciences Annual Landon Annual Sciences Annual Landon Annual Sciences	Taghhow been correct Bargine two-doc-operation desire formury: front and rea- doc-operated done, countein, glow compartment, addraw, smoothair say, rear compart- ment, "Readlange and "redocation to Lift-op-forware ladger Barg standard with the second Lift-op-forware ladger Barg standard strange resignations Read strange resignations Appearance and Protection	Engine II Hoay dury buttery II Hoay dury might and trans- ministic varing I Engine tokick hoster II California associative ministic varing impacts of a host in the second program II California for the second II To see the statistic generation Channel and professional with I Landow all professional with	Corper avery provent working of the control security Corper avery and Named security Corper avery and Named security Corper avery and Named security Corper avery avery avery avery Corper avery avery avery Corper avery avery security Corper avery avery Corper avery avery Corper avery avery avery Corper avery avery Corper avery Cor	surge-out' tablesita glove mitigaattewit, sahtay taartiss, sanalakit mag bight, wat doo pan- jartissen tight, wat doo panja mitigaatte and tablesita and table tablesita and tablesita tight hand tasked proving a solution tight hand tasked proving a solution tight hand tasked proving a solution of the solution of the the solution of the solution of the table of the solution of the solution of the solution of the solution of the solution of the solution of the table of the solution of the solution of the solution of the table of the solution of the solution of the solution of the table of the solution of the solution of the solution of the table of the solution of the solution of the solution of the table of the solution of the solution of the solution of the table of the solution of the solution of the solution of the table of the solution of the solution of the solution of the table of the solution of the solution of the solution of the table of the solution of the solution of the solution of the table of the solution of the solution of the solution of the solution of the table of the solution of the table of the solution	Integers Augh Incesso Appearances and Protection Closelynew, Ansatz particular, Closelynew, Ansatz particular, Marcia Wagner Operand I Chair constrained estations front and once see beths and incov shoulder tests. — Channes mercung without — Channes mercung with	Mindel activeted. Englise station: Desares to consider: Diverse statestratig Antonunstan boot accornel Distrat letter, realizing Prime Vise and heardings prime through the statest includent through	Promotive body safe moliting     Styled absormans ethnesis (A)     Load discertains ranges     Contrary     Doublights with transmer-     Rainger high-forume
gine Table Konzyc Ignetion Main Tention Tautray Internet rooting epoten Manual Morring Tangtane Settors, ranking and Tangtane	<ul> <li>Taglih low beam control</li> <li>Laptine focus docs equestion desire fCentrary's front and read- docs equested doning countening glow compartments, addition, monohalm say, rear compart- ment, "Readlings and" indicator (Estate Nogori)</li> <li>Ling up/fold-down ladgine in house series ensight indicator (Sector Nogori ensight interest in house programments and protection in the sector series in the formation of the sector series in trict and reas</li> <li>Inside tool lock release</li> </ul>	Engine  E Hoary-duty buttery  Hoary-duty testing Compare North American Insue Compare North Network  Constructions expanyment, C-4 Bytenin and resting (required as Compare North Network)  To-any Definition of methods of the Network  Common American Insue Network  Common American Insue Network  Definition Network  Network American Network  American Insue Network  Method  Network  Netwo	Carpot every some will be able Carpot every and hand's easile Carpot every and hand's easile Carpot every and hand's easile Carpot every and hand the Carpot every set for Description of every set for Total definition of the Construction of Carrow-Bilater speed setting Difference of the Difference of the Differen	anges of tablaces, gloo menpartment alkits, near taos sumhaft neus lakits, near taos second troug lakits, near taos second trouves and tabla tabla neur taos neur taos	Integers Augh Inexess Appearance and Properties () Designers: Anexest poster (DAA, with needing grains applying or partil Wages Optional () Chair counciliariated (scataus termination of the second scataus () Chair counciliariated (scataus () Chair counciliariated (scataus) () Chair counciliariated (scataus) () Desire poster scataus) () Desire poster scataus)	Middl selected Englise sheater Re sure to consider: Draws to consider: Draws to consider to sheat betted, reduit of the sure Draws with the selection of the selection of the selection of the selection of the selection to define the selection of the selection of the selection of the selection of the selection to define the selection to define the selection of the sele	Promotive body safe moliting     Styled absormans ethnesis (A)     Load discertains ranges     Contrary     Doublights with transmer-     Rainger high-forume
gine Sight Konrger (grattion Mohn Preschool: Buttery Senti-Housel Cooling epistem <b>anda</b> Marianal Alexerrig Never Invalies More Products and and Senter Invalid Senter Invalid Senter Invalid Senter Invalid Senter Invalid Senter Invalid Senter Invalid Senter Invalid More Invalid Senter	<ul> <li>Taglih low been correct.</li> <li>B. Lagtine free doors question?</li> <li>Beneric Chantrary: Frees and machine correct to the correct and the correct to the correct and the correct to the correc</li></ul>	Engine     Proceedings of the server of	Comparison and Accel state     Carpet aways and Accel seate	anges and "sublassing gloom importantical adultantic neutropy simultantic highs, ware runn- autrinent alighs, ware door partic- week (1) Contrary) and and an and an angest and a another and an and and a another and a another and a another based in an and a status, alight and a formatic and a formatic and a status, and an an and a status and an another and an a	Integers Aught Incesses Appearances and Protection C Scoupters' Ansatz particular, with social grants applying or C Color-encoding and the social proof and real social and the incovide of the social social incovide of the social social C Color-encoder tests and the social social social and C Color-encoder tests C Color and the social social C Color and the social social C Color and the social social C Color of the social social social social social social C Color of the social	Middl adserted. Englise insize: Desare to counder: Diverse inserting Antonical Antonical Antonical Diverse insize Noor accords District Insize, raylan gift restor 2014 Antonic Di Franchica and Baunding parkadar Insertional Baunding parkadar Insertional Baunding Di Franchica and Baunding Parkadar Insertional Baunding Di Franchica and Baunding Di Franchica	Promotive body safe moliting     Styled absormans ethnesis (A)     Load discertains ranges     Contrary     Doublights with transmer- tainger high-former
gine high Europy Apation Web Presedue Battry Iona - Heant Coeling system <b>and</b> Automate Ionarity Parent Printace Compact system ion Compact system ion compac	Eight lose beam correst B. Lagtine force disco equestion discuss (Contrary): from and man- discuss (Contrary): from and man- discussion (Contrary): from and phore comparison to the contra- tion of the contrary in the contrary in the contra- tion of the contrary in the contrary in the contra- tion of the contrary in t	Engine     Enders-dusy basisery     Honor-door grighter and trans- Enders-door grighter and trans- Enders-door grighter and trans- Descriptions     Construction of the second Description of the second of th	Carpet avery and hard seate Carpet avery and hard seate Carpet avery and hard seate Carpet avery and hard seate Carpet avery and hard seate Date of the	anges of tablacies (door implantment) and here participant installant must lade over pain- ment (Corners) over paint installant must be table over the corners of the dataset relation to the paint of the second states and Later paint Later paint L	Integers Augh Incesso Appendix and Protection Appendix and Protection Appendix and the application with record international application for and any may need before and inter advanced tests and any may need before inter advanced tests and application and application international applications in the application application of the application application application application application of the application application application application application of the application applica	Minical associated Englise choice: Drawer iso-consolvering Consolverin	Promettive body safe multilog     Styled absermans returned (A)     Load floor area ranged     Costaary     Doublights with tangenese     Talaget high forance
glise Tagle Konzyr Jantino Didno Prestour Buttry Semi-Hanal cooling spanne <b>Semi-Manual Alexer</b> Manual Alexer Prover trainer Prover trainer Prover trainer Prover trainer Serritage Orning statements Serritage Semitage Sentation and Compositioner Senta	<ul> <li>Taglih low been correct.</li> <li>Bagtin food door epission deem closinary invois and machine glow comparisons, and machine glow comparisons.</li> <li>Bagtin food doors in dealers reserve. Theodelings and inducate Elected Wagney.</li> <li>Dis optical down longare</li> <li>Appearance and Protection distant startings reimpartments</li> <li>Barris and starting the induce the data starting and the induced of the start starting of the induced of the start starting of the induced of the start starting of the induced of the induced global starting of the Barris longare global down induced of the starting of the induced of the induced barries of the induced barries of the context of the induced barries of the induced of the induced barries of the induced barries of the induced barries of the induced barries of the induced of the induced barries of the induced</li></ul>	Engine  Recycled y basinery  Source of the second s	Comparison and Namit Seale     Carpt aways and Namit Seale     Carpt Seal	serges and "sublication gloom importantical sublication processing simulation may highly, mark show particular weeks ("contrast)" and the sublication of the sublication weeks ("contrast," and the sublication of the sublication weeks ("contrast," sublication and submovies) and submovies and submoving the sublication of the sublication and submove and definition ("blood weaksing and definition ("blood weaksing and definition ("blood weaksing and definition") ("blood weaksing and definition") ("blood weaksing and definition") ("blood weaksing and definition")	Autogen Aught Investor Appearances and Properties (2) Deciginery Ansatz particle (DA, with need gradie applications (2) Deciginery Context (2) Decision Context (2) Decision Context (2) Decision and the second (3) Decision and the second (4) Decision and the second (4	Mindel adaeteed Englise statue: Desare to coashleer Constraints and the statue of the statue of the statue Constraints and the statue of the statue	Promotive body safe multilage     Styled discrement whereis (A)     Load discrement stepsi     Costary)     Doublights with tangenes     Raingen high forume
gine high Kongr (position bios Presence Durry formi-themat cooling system anabi Automatic transmession Mouse Montal Alexandro Prover transfer Diversition Corrigin (Lastical sign) Corrigin (Lastical sign) Corrigin (Lastical sign) Corrigin (Lastical sign) Scient and Compensions sither and Compensions on varion providence hand on	<ul> <li>Taglih low beam control</li> <li>Lagtino freest-dooc operational datase (Controly): Freest-and trade- dooc operated basic, controls, book operation of the second basic monthalit map, year compare transmitter Wagnet</li> <li>Lillo op/fold-down infagure</li> <li>Datase infamige remainstratements</li> <li>Appearance and Protocology</li> <li>Intra part year end protocology</li> <li>Intra part year end protocology</li> <li>Intra part year the second protocology of the second protocology</li> <li>Intra the second protocology of the second protocol protocology of the second protocol protoc</li></ul>	Engine     Enders-dusy basisery     Enders-dusy mailter and trans- termination of the second se	Carpet avery and Auron Seate Carpet avery and Auron Seate Carpet avery and Auron Seate Carpet avery and Auron Seate Carpet avery and Auron Seate Description of the Auron Seate Description of the Auron Seate Description of the Auron Seate Cartes States and Consections Cartes States and Consections Cartes States and Consections Cartes States and Consections Cartes States and Consections Consections and Consections Cons	erege and "sublassing gloon emphanetics", and sharp in current generation of a sharp in current entering of global states want and entering of the state of the entering of the states of the entering of the states of the land states of the states of the land states of the states of the states of the land stat	Integers Aught teams Appearance: and Properties. C Designers: Anexet pearts (DA, with next) genus applying or or been statement of the second ment and reserve end before and here of academic tests. C Designer second results (Designer) and the second results (Designer) and the second results (Designer) and the second result (Designer) (Designer) and the second result (Designer) (Designe	Skidd selected  Englise sheater  Re sure to consider:  Share starting  Re sure to consider:  Share starting  Annotation and function  Share starting  Annotation	Promotive body safe multilage     Styled discrement whereis (A)     Load discrement stepsi     Costary)     Doublights with tangenes     Raingen high forume
gine Table Kongry Aprilian Table Description Data Presentation Matamatic Instancessess Matamatic Instancessess Mesor Frankes Preser Frankes Preser Frankes Preser Frankes Description Compact optimized Compact optimized Sectors Compact optimized Sectors Secto	English low beam control     Bugtism forest doors operational     deam clicate those, counted,     doors operated those, counted,     doors operated those, counted,     more those operated those,     which the those operated the second t	Engine CI Hoary-duty Instituty CI Hoary-duty Instituty El Hoary-duty Instituty Control of the second second Control of the second second Control of the second second postant and treating (required in Control of the second second Control of the second	Comparison and Namit Seale     Carpt aways and Namit Seale     Carpt Seal	emperature di subiane giore emparatere di subia estato estato sumbati estato di subia estato sumbati estato di subia estato di superimenti di subia estato di superimenti di superimenti d	Integers Aught Innerse     Appearances and Properties     Chongment Advances pearlines     Chongment Advances     Means Advances     Means Advances     Means	Middl adaeted Englise station Diverse stations Diverse station realized Anotomical boot control District lettich, radiat gift Proportional bootforg Proportional bootforg Proportional bootforg Proportional bootforg Proportional bootforg Proportional bootforg Diverse bootf	Promotive body safe multilage     Styled discrement whereis (A)     Load discrement stepsi     Costary)     Doublights with tangenes     Raingen high forume
spine High Romp's Aprilian Table Trendent Instrumy Formit House Config agents and a second second second Automatic Instrumy Parent Products on second spin Original Automatics Parent Products on second spin Original Automatics Development and Commentational Original Automatics Beneficial Commentations Configured Second Second Second Second Second Second Development Automatics Beneficial Commentations Configured Second Second Development Development Configured Second Second Development Development Configured Second Second Development Development Configured Second Second Development Development Configured Second Second Development Develo	English low beam control and Lagline Area choice operational dears (Controly). Involve and trade- dears (Controly). Involve and trade- dears (Controly). Involve and trade- dears (Control and Control and Control (Excel and Negroy). B. Diright of which is a single and the single and the single and the single and the single an	Engine     Enders-dusy basisery     Enders-dusy raises and trans.     Enders-dusy raises and trans.     Enders-dusy raises and trans.     Enders-dusy raises and trans.     Enderse in the strang requirements     Enderse intering requirement	Carpet avery and hards seate Carpet avery and hards seate Carpet avery and hards seate Carpet avery and hards seate Carpet avery and hards seate Data of the seate Carpet avery and the seate Data of the seate	serges and "solutions, gloot employers and institution restrictions institution" result bable, who main second Controls of the Solution Control of the Solution of the Solution of Solution Add Solution of the Solution add Solution add Solution of Solution add Solution of the Solution add Solution add Solution of Solution add Solution of Solution add Solution add Solution add Solution of Solution add Solution of Solution add Solution add Solution add Solution of Solution add Solution of Solution add Solution	Integers Augh Incesses Appendix Augh Incesses Appendix Augh Incesses Appendix Augh Incesses Incesses Augh Incesses Ince	Binded selected     Englise choice:     The serve to consultant     D Vares constrainty     Servers to consultant     Servers to consultant     Servers to consultant     Servers	Promotive body safe multilage     Styled discrement whereis (A)     Load discrement stepsi     Costary)     Doublights with tangenes     Raingen high forume
nglas Right Korrgy ignition Ethyle Korrgy ignition Ethyle Testion Externy Senti-Island cooling quarant Maximum description Maximum description Maximu	Taglih low been correct     Taglih low been correct     dear Charmy I. House and man- door optimized those, counting, door optimized those, counting, door optimized those, counting, most house those, reserver, ments, These differences on the second lange optimized events happing B. Life optimized events happing Brance second Protocology Description of the second protocology March boost look: release Brance boost look:	Engine     Construction of the second s	Comparison and Accel seale     Carpet aways and Accel seale	anges of Multianing (poor importanter), and thing in carting simulating highs, ware train automatic tights, ware train with it (vertrain) with it (vertrain) with it (vertrain) with the second states, train law timorol District participant in the law timorol District participant in the District participant is the District participant is the District participant is the District participant is the District All region District Comparison and the District All region and the District Comparison	Integers Aught Inexess Appearances and Properties (1) Scoppens, Ansatz patrice IDA, entry, Ansatz Patrice, IDA, entry, Andrea, entry, Ansatz Patrice, IDA, entry, Ansatz Patrice, IDA, entry, Andrea, entry, Ansatz Patrice, IDA, entry, Andrea, entry, Ansatz Patrice, IDA, entry, Andrea, entry, Andrea, Inda, entry, Andrea, entry	Middl addented. Englise station Englise station Decomposition Decomposit	Promotive body safe multilage     Styled discrement whereis (A)     Load discrement stepsi     Costary)     Doublights with tangenes     Raingen high forume
nglase High Konzyr Jantion Dicho Precision Enterpy Some Himmel cooling spatness <b>basels</b> Automatics: transmessions Moscal alexery Deser Finales Therepicous before smithal pily Theory Finales Consusci spatness Consusci spatness Berentasi Consusci spatness Berentasi Consusci spatness Berentasi Consusci spatness Berentasi Consusci spatness Consusci spatne	English over hours overnis     English over shoes operational     dense Constructly: Evolution and trade- dense Constructly: Evolution     dense Constructly:     Evolution	Engine     Endersy dusy businesy     Endersy dusy fueriersy     Endersy dusy fueriersy     Endersy dusy fueriers     Endersy dusy fueriers     Endersy dusy fueriers     Endersy fueriers     End	Carpet avery and hand seate Carpet avery and hand seate Carpet avery and hand seate Carpet avery and hand seate Carpet avery and hand seate Description of the seate Description of the seate Description of the seate Carpet avery seatement Description of the seatement Carpet and Consentance Carpet Seatement Carpet Seatement Carpet Seatement Description of the seatement	serge and "schemes, gloot employer-result address restrictions mathaff much laddre view pands weeks (Correct) and schemes and the employer and a schemes and the employer and a scheme scheme i Dennisk (Correct) and scheme scheme i Dennisk (Correct) and schemes and Dennisk (Correct) and schemes and Dennisk (Correct) and schemes i Dennisk (Correct) and schemes i Dennisk (Correct) and Dennisk (Cor	kungern Augh Iseanse     Appearances and Protection     Clowing point: Advent point: (Mol.     Torong point: (Mol.     Torong point: Advent point: (Mol.     Torong point: Advent point: (Mol.     Torong and mol.     Torong point: Advent point:     Clowing sources and point:     Clowing and the molecular advent     Torong point: Advent point:     Clowing and the molecular advent     Clowing and the molecular advent     Clowing and the molecular     Clowing and the adventure of the clowing adventure of the adventure of the adventure of the clowing adventure of clowing adventure of the clowing adventure	Middl sciented  Englise cluster  Englise cluster  Be save to consolver  C. Association and the second science of the second science	Promotive body safe multilage     Styled discrement whereis (A)     Load discrement stepsi     Costury)     Doublights with tangenes     Raingen high forume
nglas Edgb Korrygy Ignition Edgb Korrygy Ignition Edge Korrygy Ignition Edge Korrygy Ignition Maximum Assertion Maximum A	English low beam control     English low of door optimized     deam closen sport and man- door optimized doors, controls,     door optimized     doors, optis     doors, optimized     doors, op	Engine     Proceedings of the series of	Benerg present with     Carpet awares and handle seate     Database     Database	serge and "schemes, gloot employer end in addit, ever train- generated light, which addit is the schemes of the schemes of the schemes excerned a scheme is the schemes excerned a scheme is the schemes of the schemes of the schemes field hand schemes, tight with the schemes of the schemes of the schemes of	Integers Aught Inexess Appearances and Properties (1) Scoppens, Ansatz patrice IDA, entry, Ansatz Patrice, IDA, entry,	Binded advected     Englise statute     Englise statute     Terant to consulter     Or any statute statute     Or any statute statute     Or any statute     Or	Promotive body safe multilage     Styled discrement whereis (A)     Load discrement stepsi     Costury)     Doublights with tangenes     Raingen high forume
spine High Rompy Aprilion Table Presents Instrumy Form Present Instrumy Search 2 and the search of the search Automatic Instrumy Data Search 2 and the search Data Search 2 and the search Search 2 and 2 and search Search 2 and 2 and search Search 2 and 2 and 3 and 3 and 3 and 2 and 2 and 3 and 3 and 3 and 3 and 3 and 3 and 3 and 3 and 3 and 3 and 3 and 3 and 3 and 3 and 3 and 3 an	English low beam control     English low the set of social sectors and trace- dear Control shoce question of the sectors of the sec	Engine  C Hoary-duty buttery  How-owner grantse and trans- minister centrary  Construction of the second se	Carpet avery and Auron Seate     Description of the Auron Auron Auron     Description of the Auron Auron     Carpet avery and Auron Auron     Carpet avery and Auron     Carpet avery avery avery avery     Carpet avery avery avery     Carpet avery avery     Carpet avery avery     Carpet aver	serges and "schlassing gloot employers mention sharps marked substantiant" south skills where many substantiant is substantiant. The second Control of Schlassing and any marked schlassing statistical statistical schlassing statistical schlassing schlassing schlassing 2 Substant schlassing 2 Substant schlassing 2 Substant schlassing schlassing 2 Substant schlassing 2 Substant schlassing schlassing 2 Substant schlassing 2 Substant schlassing schlassing 2 Substant schlassing schlassing 2 Substant schlassing 2 Substant schlassing 2 Substant schlassing schlassing 2 Substant schlass	kungern Aught Inexens     Appearances and Propretion     Chorageners, Anexet position (DAA,     with record gravita applying or or     provide and the application of the applicati	Binded selected     Englise choice:     The sense to consultant     D Vares constraints     D Vares constraints     D Vares constraints     D Vares constraints     D Vares     D Var	Promotive body safe multilage     Styled discrement whereis (A)     Load discrement stepsi     Costury)     Doublights with tangenes     Raingen high forume
nghae Righ Example Jantinon Disho Presentos Battery Sento Hennel Cooling spatnon Automatic transmosense Manual Meerry Promet Financia Promet Financia Promet Financia Promet Financia Promet Financia Promet Financia Company with Lainton-sing Reventant Company with Lainton-sing Reventant Company with Lainton-sing Reventant Conserve of all vices of source Chester of all vices of source chestor of all vices of source of theory for theory of eth data.	English low beam control     English low of door optimized     deam closen sport and man- door optimized doors, controls,     door optimized     doors, optis     doors, optimized     doors, op	Engine     Proceedings of the series of	Benerg present with     Carpet awares and handle seate     Database     Database	serge and "schemes, gloot employer end in addit, ever train- generated light, which addit is the schemes of the schemes of the schemes excerned a scheme is the schemes excerned a scheme is the schemes of the schemes of the schemes field hand schemes, tight with the schemes of the schemes of the schemes of	kungern Aught Inexens     Appearances and Propretion     Chorageners, Anexet position (DAA,     with record gravita applying or or     provide and the application of the applicati	Binded advected     Englise statute     Englise statute     Terant to consulter     Or any statute statute     Or any statute statute     Or any statute     Or	Promotive body safe multilage     Styled discrement whereis (A)     Load discrement stepsi     Costury)     Doublights with tangenes     Raingen high forume

#### A NEW 4.3 LITER V-8.

A new 4.3 litter (260 CID) 2-bbl. V-6 will be offered as an available engine in all Century models, Regal, and Regal Litmited

## THE NEW 4.1 LITER V-6.

1980. Another new V-6 erighte to suff the times. It's a 4.1 liter (252 CED) 4-barrel powerplant, which will be trastalled in Electra Coupes and Sedans, (except in California), and will be available in LeSabre Coupes and Sedans (except in Califorian) Sedans (except in Califor-



#### TURBOCHARGING.

Were into our third year of offering turbocharged engines, which means we're anassed may be the first time you're ever hought about buying one, and you probably have some pretty bottest questions about turbocharged engines.

First, we offer three turbocharged 35 liter (23) c101 V-6 engines. Their internal parts differ algoing from their normally aspirated brethrea, because turbocharging can produce mare horsepower from the same size engine. So, rest uswared that the engine is

designed to handle the turbocharger. Second, we make the turbocharged engine atandard on the LeSabre Sport Coupe, the Regal

valiable turbochurged V-6 tri ny Century Coupe or Sedan, hat makes these exciting sweeplants offered on a broad inge of Buick models.

nge of Buick models. How does it work? Well, an tomobile engine does work by natocharged V-0.



NOW, A DIESEL V-9. Part infection system: A diesel may, or may not, be t for you. Only you can be

> Combustion pre-chambers: Each cylinder has a prechamber where combustion begins when the fuel is injecte Glow plags:

 plug, located in the combustion pre-chamber. It's a miniature heating element that is activated when the ignificant key in turned on. A sensing device turns them off automatically Dual batteries:

Two Deico "Freedom" batterles furnish current for the glow plugs and for cranking the engine

The effect is

cylinders. When the time comes for more power auch as which you need to pass, pressing the accelerator causes the turbe to speed up and the engine increases its power. Simply fifing your foot slows the turbes change, and the engine returns

Dur turbschanger includen an electronic "Turbo Control Center" It works to control spark al and helps provide good drive ability. It compensates, antomatically, for fuel octane, matically, for fuel octane,

uring boost conditions. If ever sere were an innovation that uptured the spirit of both orids, turbocharging is it.

# A look at available equipment.

#### SOME 1980 BUICK AVAILABLE EQUIPMENT.

1

One of the joys of buying a Buick is the fact it's available with a broad selection of options. Because of this we though it would be a good idea to list some of the items you might wish to order on your new Buick."Extrast though it would be a good idea to list some of the items you might wish to order on your new Buick."Extrast though it would be a good idea to list some of the items you might wish to order on your new Buick."Extrast we have a some of the items your might wish to order on your new Buick."Extrast the well-equipped car will not only add to your driving pleasure, but can prove a good investment at resale time.

....

AA

A .A

A A A A

	displaying Displaying	
		Astronof-aliding gaas
CHASSIS		Sunrivof - Flip-open, Vista Vent
		Delco AN radio
Automatic transmission	A A A 5 5 5 5 5	Deleo AM-PM radio
Powery landers		Deleo AM FM aleren milio
Power streeting	A A A S S S S	Deton ETR AM-FM scoreo radio ardigtat readout & clock
Ballys rate-and-handling package	NAN NA N	Delco AM-FM aterres Full feature radio
Firm ride and bandling juckage	AAAAA	Delco B-track tope player w/AM FM stereo rullo
Automatic level control	A A A A B	Delco & truck tape player & ETR AM-PM steren signal
Limited alla differential	A A A A	apricing radio untigital readout & clock
Honry duty englise & transmission cooling		Delco & tracii tape player & AM FM stress Full feature no
Heavy-duty battery	AAAAAA	Deleo cussette tape player & AM-PM stereo radio
Engine block beater*		Delco canastis tape player & ETE AM PM antreo radio
Contractor and a second s		Delco onnette tape player & AM FM stereo Full-Instare n
COMPORT & CONVENIENCE		Deiro CB & AM FM stereo nallo se Tribuni power antenn
		Delvo CE & ETR AM-FM signal booking radio evilgital
Air constitucing	AAAASI	clock & Triband power antenna
Automatic ubrechnditikuning	A A A A A	Delco CB, 8-track tape player & AM-FM streep radio
Electronic Pouch Climate Control	A.A.	wTriband power antenna
Bolt-Hay tinied glass	AAAAAB	Defeo CB, 8-truck tape player & ETR AM-FM stereo signal
This strenging enhance	AAAAAA	senhing radio widigital clock it Triband power astenna
Tilt and thisscoping streng octoms	A A A	Delco Cli. musetta tape player wAM-PN stereo cutto
Crisise Master speed control	AAAAAA	& Tifband perer automs
Power witeSove	AAAASS	Delen CB, cassiette tape player si/ETR AM PM sterno sign
Electric truck or Odgeir lock offense		areking radio wiligital clock & Triband power antonna
Electric trunk for it.	A . A	Delete ratio option
Power date locks		Concert Sound flyaten
Automatic power door locks	AA	Contraction of the American
Elizaminated door lock & Interior light concell	A A A	APPEARANCE & PROTECTION
Electric mar window delogare	AAAAAA	
Electric dial clock	AAAA	Dealguers' Access Paint management
Biectrie digital clock	A A II S	Body side stripes
Cornering lights	AAAS	Custom wire wheel covers (wilocha)
Door courtesy & warning lights	SNNAAS	Chrome-plaint mad wheels (4)
Done reading lamp	A A A A 5 5	Designers' whitet contra
Electroduminescent coach haups	A 5' A	TRyled aluminum wheels (4)
Tungsten-Indogen, tigh-beam beadlights	AAAKAS	Designers' sport wheels (4)
Engine compariment light	0 0 0 5 5 5 5 5	Turbine wheels (4)
Trunk light	A"A A A S S	Electric field cap lock
"Headlamps on" indicator		Firstnist, gray, brown or dark brown exterior paint.
Tailight lieutinet automatic beallamp control	A A	Accountie Inmunition per kage
Trip monitor	A	Prost/mar bumper guarda
Power asattal	AAASP	Protective body side exoldings
Custom color-coordinated seat & shoulder betts	A A A A B S	Door-edge puerda
Tity odemeler	A A A A A 5	TheR detection apparent with starter interrupt
2 speed windshield wiper, willow speed delay Italium	A A A -	Long vinyi topi
3-speed stindshield wiper, si/low-speed delay instam		Landau top (Comprei)
Low windshield washer thild indicator	A A A	A CONTRACTOR OF A CONTRACTOR OFTA CONTRACTOR O
Visor vasily silence	AAAA	*-Standard on Sport Models and S TVPE *-Park Aven *-Included with Direct V-8 engine cotion *-Blandard e
Lighted slass sealty mirrors	A A A A A	*-Limited andy. Standard -
Electric control mirrors	ANA	* - Park Avenue oute and Electe
Electric control milmore w/left (hertminister	A A	I = 5 TYPE only. Available on Ebriera <sup>11</sup> - Not available only. <sup>12</sup> - Driver's aids only. <sup>13</sup> - Rear guest
Astronoot Reed glass	A	Passiculary side available: "A - Not available
Antice of a state of the state	A	1 - Left side standard - Park Avenue - 9- 9tandard



formia). This can fut V-8 offers a in engine size.



right

# 1980 Buick safety features.

# OCCUPANT PROTECTION

Seat belts with push-button buckles for all passenger positions

Two front combination seat and inertia reel shoulder belts for driver (with reminder light and audible warning) and right front passenger

Energy-absorbing steering column

Passenger-guard door locks

Safety door latches and stamped-steel hinges

Folding seatback latches

Energy-absorbing padded instrument panel and front seatback tops

Laminated windshield

Safety armrests

Glove box and console door latch impact security

Smooth contoured door and window regulator handles

Automatic locking rear outboard seat belt retractors

Pressure-lock radiator cap

# ANTI-THEFT

Anti-theft ignition key reminder buzzer

Anti-theft steering column lock

Anti-theft key system (one key for ignition only, other key for glove compartment, doors, trunk, and tailgate)

Visible vehicle identification number

Ident. No. 80-BA-1-9-79 1.5mm Printed in U.S.A.

## ACCIDENT AVOIDANCE

Side marker lights and reflectors

Parking lamps that illuminate with headlamps

Four-way hazard warning flasher Backup lights

Lane change feature in direction signal control

Windshield defrosters, washer and dual-speed wipers

Wide-view inside mirror (vinyl-edged, shatter-resistant glass and deflecting support)

Outside rearview mirror

Dual master cylinder brake system with warning light

Starter safety switch

Dual-action safety hood latches (front-opening hoods)

Headlamp aiming access provision

Low-glare instrument panel top, inside windshield moldings, wiper arms and blades, and steering wheel metallic surfaces

Safety wheel rims

Uniform shift quadrant

No winged wheel nuts, discs, and caps Front disc brakes with audible wear

indicators Self-adjusting brakes Pressure-relief gas cap

# BUY OR LEASE A BUICK

Many Buick dealers offer you the opportunity to buy or lease a Buick. Ask about their leasing arrangement. It may be right for you.

# THE GM CONTINUOUS PROTECTION PLAN

It offers service protection in addition to that provided by GM's new vehicle limited warranty. Coverage is available only in U.S.A. and Canada for the 1980 model year. Ask your Buick dealer about it.



A WORD ABOUT ASSEMBLY, COMPONENTS AND OPTIONAL EQUIP-MENT IN THESE BUICK PRODUCTS:

The Buicks described in this brochure are assembled at facilities of General Motors Corporation operated by Buick or GM Assembly Division. These vehicles incorporate thousands of different components produced by various divisions of General Motors and by various suppliers to General Motors. From time to time during the manufacturing process, it may be necessary, in order to meet public demand for particular vehicles or equipment, or to meet federally mandated emissions, safety, and fuel economy requirements, or for other reasons, to produce Buick products with different components or differently sourced components than initially scheduled. All such components have been approved for use in Buick products and will provide the quality performance associated with the Buick name.

With respect to extra-cost optional

equipment, make certain you specify the type of equipment you desire on your vehicle when ordering it from your dealer. Some options may be unavailable when your car is built. Your dealer receives advice regarding current availability of options. You may ask the dealer for this information. GM also requests the dealer to advise you if an option you ordered is unavailable. We suggest you verify that your car includes the optional equipment you ordered or, if there are changes, that they are acceptable to you.

# Model/Engine Combinations Used in 1980 Buicks

Engine	Standard or Available Engine	49 States or California*	Transmission	EPA Est. MI	leage Estimates PG Est. Highway
SKYHAWK, SKYHAWK 'S'	Shandard	49 States	M4	15	24
-6—LD5—(A) .8 liter, 231 CID, 2-bbl. Carb.	Standard		A	15 19 N.A.	24 27
and the state of the same same	Standard	California	M4 A	N.A. [19]	N.A. 26
KYLARK, SKYLARK LIMITED,		100			
SKYLARK SPORT L-4—LW9 (5) 2.5 liter, 151 CID, 2-bbl. Carb.	Standard	49 States	M4	24	38
	Standard	California	A M4	24 22 24 22	38 34 35
	12607/1200000.201.	-00.00072	A	Record	33
/-6-LE2 (7) .8 liter, 173 CID, 2-bbl. Carb.	Available	49 States	M4 A	20 20	33 30
	Available	California	M4 A	N.A. 18	N.A. 26
ENTURY COUPES AND SEDANS		1			
/-6—LD5 (A) 3.8 liter, 231 CID, 2-bbl. Carb.	Standard	49 States	M3 A	N.A. [20]	N.A. 27
	Standard	California	A	19	26
/-6-LC8 (3) 3.8 liter, 231 CID, 4-bbl. Carb.	Available Available	49 States California	A	18 18	25 25
Furbocharged			1 - 9 -		
/-8—LS5 (S) 1,3 liter, 265 CID, 2-bbl. Carb.	Available	49 States	A	17	26
/-8-L37 (W) 1.9 liter, 301 CID, 4-bbl. Carb.	Available	49 States	A	17	25
V-8—LG4 (H) 5.0 liter, 305 CID, 4-bbl. Carb.	Available	California	A	15	21
REGAL COUPE,		5.5	The second		
REGAL LIMITED COUPE V-6—LD5 (A)	Standard	49 States	A	[20]	27 26
3.8 liter, 231 CID, 2-bbl. Carb.	Standard	California	A	19	
/-8—LS5 (S) 1.3 liter, 265 CID, 2-bbl. Carb.	Available	49 States	A	17	26
V-8-L37 (W)	Available	49 States	A	17	25
4.9 liter, 301 CID, 4-bbl. Carb.					
V-8—LG4 (H) 5.0 liter, 305 CID, 4-bbl. Carb.	Available	California	A	15	21
REGAL SPORT COUPE	Observations	10 010100		10	25
V-6—LC8 (3) 3.8 liter, 231 CID, 4-bbl. Carb.	Standard Standard	49 States California	A	18 18	25
Turbocharged		and the second second	1825	1000	
LE SABRE, LE SABRE LIMITED V-6—LD5 (A)	Standard	49 States	A	18	24
3.8 liter, 231 CID, 2-bbl. Carb.	Standard	California	Ä	18 19	27
V-6-LC4 (4) 4.1 liter, 252 CID, 4-bbl. Carb.	Available	49 States	A	17	23
V-8-L37 (W)	Available	49 States	A	16	24
4.9 liter, 301 CID, 4-bbl. Carb.		10 01 11		10	00
V-8—L77 (X) 5.7 liter, 350 CID, 4-bbl. Carb.	Available	49 States	A	15	23
V-8—L34 (R) 5.7 liter, 350 CID, 4-bbl. Carb.	Available	California	А	15	22
LE SABRE SPORT COUPE	Standard	49 States	A	[16]	23
V-6—LC8 (3) 3.8 liter, 231 CID, 4-bbl. Carb. Turbocharged	Standard Standard	California	Â	16 .	22

Engine	Standard or Available Engine	49 States or California*	Transmission	Mileage Estimates EPA Est. MPG Est. Hig	
ELECTRA LIMITED, ELECTRA PARK AVENUE V-6LC4 (4)			172		
4.1 liter, 252 CID, 4-bbl. Carb.	Standard	49 States	A	17	23
V-8-LF9 (N) 5.7 liter, 350 CID, Diesel	Available N.A. California at time of printing	49 States	A A	[21] N.A.	31 N.A.
V-8—L77 (X) 5.7 liter, 350 CID, 4-bbl. Carb.	Available	49 States	A	15	22
V-8—L34 (R) 5.7 liter, 350 CID, 4-bbl. Carb.	Available	California	A	15	21
RIVIERA V-8—L34 (R) 5.7 liter, 350 CID, 4-bbl. Carb.	Standard Standard	49 States California	A	15 15	22 22
V-6—LC8 (3) 3.8 liter, 231 CID, 4-bbl. Carb. Turbocharged	Available Available	49 States California	Â	16 16	23 24
RIVIERA S TYPE /-6—LC8 (3) 3.8 liter, 231 CID, 4-bbl. Carb. Furbocharged	Standard Standard	49 States California	A A	16 16	23 24
V-8—L34 (R) 5.7 liter, 350 CID, 4-bbl. Carb.	Available Available	49 States California	A	15 15	22 22
CENTURY STATION WAGONS /-6—LD5 (A) 3.8 liter, 231 CID, 2-bbl. Carb.	Standard Standard	49 States California	A	20	27 26
/-8—LS5 (S) I.3 liter, 265 CID, 2-bbl. Carb.	Available	49 States	A	[16]	23
/-8-L37 (W) .9 liter, 301 CID, 4-bbl. Carb.	Available	49 States	A	[16]	24
/-8—LG4 (H) 5.0 liter, 305 CID, 4-bbl. Carb.	Available	California	A	14	19
LE SABRE AND ELECTRA ESTATE WAGONS /-8—L37 (W) 1.9 liter, 301 CID, 4-bbl. Carb.	Standard	49 States	A	15	21
/-8—LF9 (N) 5.7 liter, 350 CID, Diesel	Available N.A. California at time of printing	49 States	A A	[21] N.A.	31 N.A.
/-8—L77 (X) 57 liter, 350 CID, 4-bbl. Carb.	Available	49 States	A	15	22
-8-L34 (R) .7 liter, 350 CID, 4-bbl. Carb.	Available	California	A	15	20

Remember: Compare these MPG estimates inside the boxes to the estimated MPG of other cars. You may get different mileage, depending on your driving speed, trip length and weather conditions. Your actual highway mileage will probably be less than estimated highway fuel economy.

\*California Assembly Line emission equipment, C-4 System (except on diesel) and testing required in California.

( ) Denotes VIN (Vehicle Identification Number) Engine Code. Identified as the fifth entry (letter or number) from the left on the vehicle serial number plate. The vehicle serial number plate is located on the top portion of the driver's side of the instrument panel and can be viewed from the exterior by looking through the windshield.
 (3) (4) (A) (X) produced by GM-Buick Division
 (7) Produced by GM-Chevrolet Division and GM of Canada
 (8) (9) produced for GM-Chevrolet Division
 (9) produced GM-Oldsmobile Division

- (5) (W) (S) Produced by GM-Pontiac Division M3—Manual 3-speed Transmission M4—Manual 4-speed Transmission

- A-Automatic Transmission
- N.A.-Not Available at time of printing

A word about engines ... The Buicks listed here are equipped with GM-built engines produced by various divisions. See your dealer for details.

Litho in U.S.A.