

1983 CHEVROLET POLICE, TAXI AND EMERGENCY VEHICLES

"TAKE CHARGE" VEHICLES DESIGNED FOR RUGGED, DEPENDABLE SERVICE.



1983 CHEVROLET IMPALA

DESIGNED AND TUNED FOR TOUGH POLICE AND TAXI OPERATION.

When you're in tough, "Take Charge" work like that of public safety agencies and taxi fleets, you need tough "Take Charge" vehicles like Impala and Chevy Malibu. For 1983, Chevrolet offers a wide choice of specialized vehicles, including trucks (see page 8 for truck specifications). Regular production Chevrolets already offer much of what you want engineered in.

The 9C1 police chassis, 9C6 taxi chassis and companion special equipment options for Impala and Malibu are designed to be an integral part of the vehicle and are not items installed on regular production cars. The chassis packages and special equipment options are engineered specifically for police and taxi work and, along with the vehicle, are tuned to their special needs. For this reason,

it is necessary that you allow sufficient lead time between date of ordering and desired delivery of your 1983 Chevrolet vehicles. To further expedite delivery of your Chevrolet police or taxi vehicles, it is suggested that you arrange with another supplier for installation of any equipment not included in the special equipment options listed on the back page of this catalog.

IMPALA full-size room and comfort for six adults.



4-DOOR SEDAN 1BL69



4-DOOR SEDAN 1BL69

Impala continues to be the full-size value for which it's been famous these past 24 years. Impala is equipped with Computer Command Control, an on-board computer that monitors engine functions and fine-tunes the engine's performance under all normal operating conditions—continuously—as you

drive. Also standard are low-drag front disc brakes. Fluidic windshield washer system. Easy-Roll radial ply tires and 3.8 Liter (229 Cu. In.) V6 engine. Also available is a 5.7 Liter (350 Cu. In.) 4-Bbl. V8. Other Impala features include full-size roominess and comfort and impressive driving, automatic

transmission, power steering, power front disc/rear drum brakes, 25-gallon fuel tank and roomy 20.9-cu.-ft. trunk. An optional Gage Package with trip odometer, fuel economy and temperature gages is available except with Special Police Speedometer.

STANDARD FEATURES

- 116-inch wheelbase with tight turning circle (38.7 feet curb-to-curb).
- Computer Command Control.
- Delco Freedom Plus II battery never needs water.

- High Energy Ignition system.
- Side-lift frame jack.
- Window frame on doors.
- Door lock design helps make break-ins difficult.
- Molded full foam seat construction.
- Single-loop front seat and shoulder belt system.
- New interior trim fabrics and colors.
- Extensive corrosion treatment.

- Headlight-dimmer switch on turn-signal lever.
- Speedometer face includes metric scale.
- Inside hood release.

IMPORTANT: A WORD ABOUT THIS CATALOG. We have tried to make this catalog as comprehensive and factual as possible and we hope you find it helpful. However, since the time of printing, some of the information you will find here may have been updated. Also, some of the equipment shown or described throughout this catalog is available at extra cost. Your dealer has details and, before ordering, you

1983 CHEVROLET MALIBU

LIFE CYCLE COST/PERFORMANCE EVALUATION.

Increasingly important is the cost of keeping a vehicle in service, mile after mile, month after month. Initial purchase price is no longer the only or best indicator of product value. The process of recognizing and considering important factors is known as Life Cycle Cost/Performance Evaluation. These factors

include initial cost, plus fuel economy, parts replacement, resale value, police or taxi capability, human environmental factors, as well as mechanical evaluations such as potential downtime and serviceability of both car and equipment.

This process of Life Cycle Cost/Performance Evaluation is now used by law enforcement agencies in many parts of the

country. When reviewing your needs in terms of vehicles available, it is suggested that you conduct a Life Cycle Cost/Performance Evaluation on the Chevrolet vehicles and other units you're considering. We'd like to suggest that you also might want to contact Public Safety departments and taxi operators using Chevrolet vehicles to compare your findings.

MALIBU generous room. Sensible mid-size.



4-DOOR SEDAN 1GW69

Malibu is the mid-size with the spacious interior room and trunk capacity that prove very popular for urban police work and taxi use. Ease of maneuvering in city traffic, and into tight places is due to its smart size, power steering, and power brakes. For 1983, Malibu standard features include automatic



4-DOOR SEDAN 1GW69

transmission with torque converter clutch. Easy-Roll tires, side-lift frame jack, fluidic windshield washer system and power steering. Also standard is a 3.8 Liter (229 Cu. In.) 2-Bbl. V6. Available is a 5.0 Liter (305 Cu. In.) 4-Bbl. V8. Malibu quality features include a strong full perimeter frame, Full

Coil spring suspension at all four wheels, extensive corrosion-resistant treatments and a Delco Freedom Plus II maintenance-free battery. Among the optional equipment available is a Gage Package with trip odometer available except with Special Police Speedometer.

STANDARD FEATURES

- 108.1-inch wheelbase with tight turning circle (37.1 feet curb-to-curb).
- Window frame on doors, with large fixed window in rear doors. Behind the rear windows are swing-out vents.

- High Energy Ignition system.
- Coolant recovery system.
- Cushioned body mounting system.
- Single-loop seat and shoulder belt system.
- Speedometer face includes metric scale.
- Inside hood release.
- Headlight-dimmer switch on turn-signal lever.

This catalog should not be used for ordering purposes. Rather it is intended as a source of advance information for planning future vehicle fleet needs. For further details, contact your local Chevrolet dealer or the Chevrolet Zone Office covering your area.

should ask him to bring you up to date.

The right is reserved to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models. Check with your Chevrolet dealer for complete information.

POLICE CAR SPECIFICATIONS

IMPALA POLICE VEHICLE EQUIPMENT AVAILABLE ON IMPALA SEDAN 1BL69



IMPALA 4-DOOR SEDAN DIMENSIONS (In Inches)

	4-Door Sedan
Exterior	
Wheelbase	116.0
Length (overall)	212.2
Wheel Tread	
Front	61.8
Rear	60.8
Width (overall)	75.3
Height (loaded)	56.4
Interior	
Front Compartment	
Head Room	39.5
Leg Room	42.2
Shoulder Room	60.5
Hip Room	55.0
Rear Compartment	
Head Room	38.2
Leg Room	39.1
Shoulder Room	60.5
Hip Room	55.3
Usable Luggage Capacity (cu. ft.)	20.9

SEO 9C1 includes the following which are different from the regular production Impala:

- Increased gage of certain frame members.
- Special engine valve train features.
- Firm feel steering gear and linkage.
- 8.75" ring gear rear axle.
- Temperature-controlled fan on models without air conditioning.
- Semi-metallic front brake pads.
- 11" x 2" 23-lb. rear brake drums.
- Large-bolt circle 15" x 7" wheels.
- Special police pursuit suspension includes front and rear stabilizer bars, special springs

- and shocks (included only when police or QHK tires are ordered).
 - Larger radiator (same as RPO V08).
 - Fuel vapor return system on V8.
 - Special balanced drive shaft.
 - Heavy-duty battery equivalent to 80-amp-hr.
 - Specially calibrated transmission and torque converter with V8.
 - Engine oil cooler (V8 only).
 - A/C wide-open throttle cut-off switch.
 - A/C head pressure switch.
- (Powertrain Combinations listed on page 11.)

IMPALA POLICE VEHICLE SEAT TRIMS

Upholstery Type	Color	Order Trim Number		
		SEO 6C1 Bench H.S.	SEO 6B9 Buckets H.S.	SEO 6F3 50/50 Seat H.S.
Regular Production Trims (cloth or vinyl)	Any Reg. Prod. Color	Any Available Trim No.	Not Available	Not Available
SEO 6R6—H.D. Vinyl	Dark Blue Maroon	GDD1 GFF1	GDD2 GFF2	GDD3 GFF3
SEO 6R7—H.D. Cloth	Dark Blue Maroon	PDD1 PFF1	PDD2 PFF2	PDD3 PFF3
SEO 6R8 H.D. Cloth—Front H.D. Vinyl—Rear	Dark Blue Maroon	TDD1 TFF1	TDD2 TFF2	TDD3 TFF3

THE FOLLOWING OPTIONS MUST BE ORDERED WITH 9C1 EQUIPMENT:

- RPO LC3 or LM1 engine assembly (see Powertrain Combinations for details).
 - SEO 7K3 70-amp Delcotron® generator (50-amp at 700 RPM idle) or SEO 7K4 80-amp Delcotron generator (58-amp at 700 RPM idle).
 - SEO 7Z9 Special Police Speedometer with 2-MPH increments, 120 MPH maximum, or 8A1 production speedometer (for undercover work).
 - SEO 5JN or 5JS Police Service Tires. SEO 9A3 speedometer gear change must be ordered. In addition, SEO SAA available for police tire deletion.
 - SEO 6C1 heavy-service front bench or SEO 6F3 heavy-service 50/50 seat or SEO 6B9 heavy-service bucket seats.
- (See back cover for additional options.)

MALIBU POLICE VEHICLE EQUIPMENT AVAILABLE ON MALIBU SEDAN 1GW69



SEO 9C1 includes the following which are different from the regular production Malibu:

- Reinforced frame.
- Special engine valve train features.
- Front and rear semi-metallic brake linings.
- Vented, higher gage wheels 14" x 6" 5-bolt.
- Specific body mounts.
- Special Police Suspension includes front and rear stabilizer bars, special springs and shocks, special front suspension jounce bumpers (only when pursuit tires are ordered).
- Higher cooling capacity radiator (same as RPO VO8).

- Temperature-controlled fan on models without air conditioning.
 - Fuel vapor return system on V8.
 - Special balanced drive shaft.
 - Specific brake master cylinder and booster.
 - Heavy-duty battery equivalent to 80-amp-hr.
 - Specially calibrated transmission and torque converter with V8.
 - Engine oil cooler (V8 only).
 - A/C wide-open throttle cut-off switch.
 - A/C head pressure switch.
- (Powertrain Combinations listed on page 11.)

MALIBU 4-DOOR SEDAN DIMENSIONS (In inches)

	4-Door Sedan
Exterior	
Wheelbase	108.1
Length (overall)	192.7
Wheel Tread	
Front	58.5
Rear	57.8
Width (overall)	72.3
Height (loaded)	55.7
Interior	
Front Compartment	
Head Room	38.5
Leg Room	42.8
Shoulder Room	56.7
Hip Room	52.2
Rear Compartment	
Head Room	37.6
Leg Room	38.0
Shoulder Room	57.1
Hip Room	55.6
Usable Luggage Capacity (cu. ft.)	16.6

THE FOLLOWING OPTIONS MUST BE ORDERED WITH 9C1 EQUIPMENT:

- RPO LC3 or LG4 engine assembly (see Powertrain Combinations for details).
- SEO 7K3 70-amp Delcotron generator (50-amp at 700 RPM idle), or SEO 7K4 80-amp Delcotron generator (58-amp at 700 RPM idle).
- SEO 7Z2 Special Police Speedometer with 2-MPH increments, 120 MPH maximum. Includes voltmeter, water temperature gage, oil pressure gage and clock. Or SEO 7Z9 Special Police Speedometer (includes clock) with 2-MPH increments, 120 MPH maximum, or 8A1 production speedometer (for undercover work).
- SEO 5KV or 5KW Police Service Tires. SEO 9A3 speedometer gage change must be ordered. In addition, SEO SAA available for police tire deletion.
- SEO 6C1 heavy-service front bench without armrest or SEO 6B8 heavy-service 55/45 seat or 6B9 heavy-service bucket seats. (See back cover for additional options.)

MALIBU POLICE VEHICLE SEAT TRIMS

Upholstery Type	Color	Order Trim Number		
		SEO 6C1 H.S. Bench Seat	SEO 6B9 H.S. Buckets	SEO 6B8 H.S. 55/45 Seat
SEO 6R6—H.D. Vinyl	Dark Blue Dark Brown	GDD1 GEE1	GDD2 GEE2	GDD3 GEE3
SEO 6R7—H.D. Cloth	Dark Blue Dark Brown	PDD1 PEE1	PDD2 PEE2	PDD3 PEE3
SEO 6R8— H.D. Cloth—Front H.D. Vinyl—Rear	Dark Blue Dark Brown	TDD1 TEE1	TDD2 TEE2	TDD3 TEE3

This catalog should not be used for ordering purposes. Rather it is intended as a source of advance information for planning future vehicle fleet needs. For further details, contact your local Chevrolet dealer or the Chevrolet Zone Office covering your area.

TAXICAB SPECIFICATIONS

IMPALA TAXICAB EQUIPMENT AVAILABLE ON IMPALA SEDAN 1BL69



IMPALA DIMENSIONS (In Inches)

	4-Door Sedan
Exterior	
Wheelbase	116.0
Length (overall)	212.2
Wheel Tread	
Front	61.8
Rear	60.8
Width (overall)	75.3
Height (loaded)	56.4
Interior	
Front Compartment	
Head Room	39.5
Leg Room	42.2
Shoulder Room	60.5
Hip Room	55.0
Rear Compartment	
Head Room	38.2
Leg Room	39.1
Shoulder Room	60.5
Hip Room	55.3
Usable Luggage Capacity (cu. ft.)	20.9

SEO 9C6 includes the following which are different from the regular production Impala:

- Heavy-service vinyl trim in Dark Blue or Maroon (order GDD1 for Dark Blue and GFF1 for Maroon).
- Heavy-service front and rear bench seats.
- Increased gage of certain frame members.
- Engine valve train features.
- Greater capacity oil filter (1-quart capacity V8 only; unavailable with 7P8 engine oil cooler).
- 8.75" ring gear rear axle.
- Temperature-controlled fan on models without air conditioning.

- Semi-metallic front brake pads.
 - 11" x 2" 23-lb. rear brake drums.
 - Large-bolt circle 15" x 7" wheels.
 - Larger radiator (same as RPO V08).
 - Fuel vapor return system on LG4.
 - Heavy-duty battery equivalent to 80-amp-hr.
 - Rubber floor mats.
 - Rear doorjamb dome-lamp switches.
 - Door-ajar warning lamp.
- (Powertrain Combinations listed on page 11.)

THE FOLLOWING OPTIONS MUST BE ORDERED WITH THE 9C6 EQUIPMENT:

- RPO LC3 or LG4 engine assembly (see Powertrain Combinations for details).
 - SEO 7K3—70-amp Delcotron generator (50-amp at 700 RPM idle) or SEO 7K4 80-amp Delcotron generator (58-amp at 700 RPM idle).
- (See back cover for additional options.)



4-DOOR SEDAN 1BL69

MALIBU TAXICAB EQUIPMENT AVAILABLE ON MALIBU SEDAN 1GW69



SEO 9C6 includes the following which are different from the regular production Malibu:

- Heavy-service vinyl trim in Dark Blue or Dark Brown (order GDD1 for Dark Blue and GEE1 for Dark Brown).
- Heavy-service front and rear bench seat.
- Reinforced frame.
- Engine valve train durability features.
- Greater capacity oil filter (1-quart capacity V8 only; unavailable with 7P8 engine oil cooler).
- Front and rear semi-metallic brake linings.
- Vented, higher gage wheels 14" x 6" 5-bolt.
- Special springs and shocks.

- Higher cooling capacity radiator (same as RPO V08).
 - Temperature-controlled fan on models without air conditioning.
 - Fuel vapor return system on LG4.
 - Specific brake master cylinder and booster.
 - Heavy-duty battery equivalent to 80-amp-hr.
 - Rear doorjamb dome-lamp switches.
 - Door-ajar warning lamp.
 - Black rubber floor mat.
- (Powertrain Combinations listed on page 11.)

MALIBU DIMENSIONS (In Inches)

	4-Door Sedan
Exterior	
Wheelbase	108.1
Length (overall)	192.7
Wheel Tread	
Front	58.5
Rear	57.8
Width (overall)	72.3
Height (loaded)	55.7
Interior	
Front Compartment	
Head Room	38.5
Leg Room	42.8
Shoulder Room	56.7
Hip Room	52.2
Rear Compartment	
Head Room	37.6
Leg Room	38.0
Shoulder Room	57.1
Hip Room	55.6
Usable Luggage Capacity (cu. ft.)	16.6

THE FOLLOWING OPTIONS MUST BE ORDERED WITH THE 9C6 EQUIPMENT:

- RPO LC3 or LG4 engine assembly (see Powertrain Combinations for details).
- SEO 7K3 70-amp Delcotron generator (50-amp at 700 RPM idle) or SEO 7K4 80-amp Delcotron generator (58-amp at 700 RPM idle).

(See back cover for additional options.)

This catalog should not be used for ordering purposes. Rather it is intended as a source of advance information for planning future vehicle fleet needs. For further details, contact your local Chevrolet dealer or the Chevrolet Zone Office covering your area.



4-DOOR SEDAN 1GW69

1983 CHEVROLET TRUCKS

FOR SPECIAL POLICE, TAXI AND EMERGENCY DUTY.

SUBURBAN

SUBURBAN DIMENSIONS (In Inches)

	2-Wheel Drive	4-Wheel Drive
Exterior		
Wheelbase	129.5	129.5
Length (overall)	220.0	220.0
Wheel Tread		
Front		
(10 Series)	64.35	66.14
(20 Series)	66.38	67.72
Rear		
(10 Series)	63.02	63.02
(20 Series)	65.88	65.88
Width (overall)	79.6	79.6
Height (unloaded)		
(10 Series)	72.0	73.8
(20 Series)	74.3	76.1
Interior		
Front Seat—Width	59.0	59.0
Head Room	40.5	40.5
Leg Room	40.8	40.8
Shoulder Room	65.4	65.4
Hip Room	60.5	60.5
Center Seat—Width	60.4	60.4
Head Room	41.1	41.1
Leg Room	35.5	35.5
Shoulder Room	65.4	65.4
Hip Room	60.8	60.8
Rear Seat—Width	47.5	47.5
Head Room	39.1	39.1
Leg Room	32.7	32.7
Shoulder Room	66.0	66.0
Hip Room	49.3	49.3



STANDARD FEATURES.

- Truck-size payload. Up to 3908 lbs., including the driver, equipment and cargo.
- Easy-opening double rear doors. Open 39.9" high and 59.6" wide.
- Rugged girder beam front suspension (2WD models), multi-leaf rear suspension.
- Tinted glass in all windows.
- Double-wall construction in critical areas.
- Custom Deluxe interior trim with full-depth, foam-cushioned front seat and cockpit-type instrument cluster.
- Energy-absorbing steering column.
- Computer-matched brake system. Power-assisted front disc brakes are computer-matched to the Gross Vehicle Weight Rating of the Suburban you order.
- 4-speed automatic overdrive transmission for C10 models.
- Salisbury rear axle with large ring gear and roller bearings.
- Tough truck frame. Ladder-type all-steel frame with deep-section channel side rails.
- Aluminized muffler. Aluminized inside and out to fight corrosion.
- Acrylic enamel finish. Two coats.
- Added anti-corrosion measures. Includes expanded use of corrosion-resistant steels. Zincrometal® is now used for the engine hood inner panel.

- Automatic locking front hubs on 4-wheel-drive models.
- Steel-belted radial tires.
- Power steering (4WD models).

SELECTED AVAILABLE OPTIONS.

- These and other options help make Suburban a rugged, effective emergency vehicle.
- 6.2 Liter V8 Diesel engine.
 - 4-speed automatic transmission with overdrive (Std. on C10 models).
 - Trailering Special Package.
 - Power door locks and power windows.
 - Electronic speed control with resume feature.
 - Front Quad Shock off-road package (4WD models).
 - Halogen hi-beam or hi/lo-beam headlamps.
 - Rear compartment heater for greater passenger comfort.
 - Rear window defogger for Suburban with available power tailgate window.
 - 66-amp generator.
 - Heavy-duty battery.
 - Center and rear seats.
 - Comfortilt steering wheel.
 - Fuel tank stone shield.
 - Dual-unit front and rear air conditioning.
 - Bucket seats and center console.

This catalog should not be used for ordering purposes. Rather it is intended as a source of advance information for planning future vehicle fleet needs. For further details, contact your local Chevrolet dealer or the Chevrolet Zone Office covering your area.

Meet Chevy's 1983 lineup of "Take Charge" trucks. They're right on the money with spacious interiors and the kind of strong chassis it takes to meet the demands of special assignments. Firm but smooth ride begins with rugged girder beam suspension on 2-wheel-drive vehicles. And Chevy Suburbans and Blazers incorporate a tough steel frame with deep-section channel side rails. Chevy Vans offer unitized construction.

New for 1983, Chevy Van and Sportvan feature an optional 6.2 Liter Diesel engine. A

solid choice for work that demands power plus fuel efficiency. Recommended for use in trucks expected to undergo high-idle time, heavy mileage and heavy loads.

Chevy Suburban's roomy interior can hold up to nine passengers with optional seating. Or, with just the front seat in place, it can handle up to 144 cu. ft. of cargo. In addition, when properly equipped, Suburban can move up to 15,500 lbs., including itself, passengers, cargo and trailer.

Chevy 4X4 Blazer is built to handle rough

terrain and big jobs. Blazer's 4-wheel-drive system lets you switch from 2- to 4-wheel drive and back again without leaving the driver's seat, giving you flexibility for heavy emergency action.

A strong body frame helps Chevy Vans carry payloads up to 4184 lbs. Pick from six tough models capable of handling a wide variety of tough jobs. People-moving, cargo-hauling, or both.

Tough Chevy trucks get the job done. Whatever the job.

BLAZER



BLAZER DIMENSIONS (In Inches)

	S-10 2WD*	S-10 4WD†	K10 4WD†
Exterior			
Wheelbase	100.5	100.5	106.5
Length (overall)	170.3	170.3	184.8
Wheel Tread			
Front	54.1	55.6	66.14
Rear	54.1	55.1	63.02
Width (overall)	65.4	65.4	79.6
Height (unloaded)	64.7	65.0	73.8
Interior			
Front Bucket Seat—			
Width (each)	20.5	20.5	23.6
Head Room	39.1	39.1	41.0
Leg Room	42.5	42.5	40.6
Shoulder Room	53.9	53.9	65.6
Hip Room	50.5	50.5	60.5
Rear Seat—Width			
Head Room	38.7	38.7	39.3
Leg Room	35.5	35.5	32.7
Shoulder Room	56.1	56.1	64.6
Hip Room	37.6	37.6	49.3

*2-wheel drive †4-wheel drive

NEW-SIZE S-10 BLAZER

STANDARD FEATURES.

- Available in both 2- and 4-wheel-drive.
- New smaller size for easy maneuverability.
- Newly patented Insta-Trac 4-wheel-drive system on 4X4 models allows shifting from rear-wheel drive to 4-high and back at any speed.
- Floor-mounted transfer case shift console with lighted action display of gear position on 4X4 models.
- Extensive anti-corrosion treatments with special steels, primers, sealers and weather stripping.
- Independent front suspension system with coil springs on 2-wheel-drive models, torsion bars on 4-wheel-drive models.
- Front stabilizer bar.
- Fiberglass-belted radial tires.
- Tinted glass all around.

SELECTED AVAILABLE OPTIONS.

- 2.8 Liter V6 engine.
- 5-speed manual overdrive transmission.
- 2 automatic transmissions—3-speed or 4-speed w/overdrive (depending on model).
- Power steering.
- Power brakes.

- Steel-belted radial tires.
- 20-gallon fuel tank.
- Transfer case shield (4X4 models).
- Halogen headlamps.
- Electronic speed control.
- 66-amp generator.
- Heavy-duty battery.
- Front tow hooks.
- Front suspension consists of tough leaf springs. A stabilizer bar is standard.
- Deep-tinted glass for rear quarter windows and rear window.
- Computer-matched brakes. Power-assisted, low-drag front disc brakes with wear sensors and finned rear drum brakes.

K10 FULL-SIZE BLAZER

STANDARD FEATURES.

- Four-wheel drive.
- Automatic locking front hubs.
- Added anti-corrosion treatment. For 1983, the full-size Blazer has improved corrosion protection with expanded use of Zincrometal. Zincrometal is now also used for the engine hood inner panel.
- Power steering.
- Front suspension consists of tough leaf springs. A stabilizer bar is standard.
- Tinted glass all around.
- Power-assisted, low-drag front disc brakes with wear sensors and finned rear drum brakes.
- Steel-belted radial tires.

SELECTED AVAILABLE OPTIONS.

- 6.2 Liter V8 Diesel engine.
- 4-speed automatic transmission with overdrive.
- Electronic speed control with resume feature.
- Heavy-duty battery.
- 31-gallon fuel tank (32-gallon with diesel engine).
- Front Quad Shock off-road package.
- Front tow hooks.
- Halogen hi-beam or hi/lo-beam headlamps.
- Stone shield—fuel tank and transfer case.
- 66-amp generator.
- Comfortilt steering wheel.
- Deep-tinted glass for rear quarter windows and rear window.

1983 CHEVROLET TRUCKS

CONTINUED

CHEVY VAN

CHEVY VAN DIMENSIONS (In Inches)

Exterior	G10	
	SWB*	LWB†
Wheelbase	110	125
Length (overall)	178.2	202.2
Wheel Tread		
Front	68.62	68.62
Rear	66.96	66.96
Width (overall)	79.5	79.5
Height (unloaded)	79.7	79.8

Exterior	G20		G30
	SWB*	LWB†	LWB†
Wheelbase	110	125	125
Length (overall)	178.2	202.2	202.2
Wheel Tread			
Front	69.02	69.02	68.61
Rear	67.36	67.36	70.08
Width (overall)	79.5	79.5	79.5
Height (unloaded)	79.8	79.5	81.9

*SWB—Short wheelbase

†LWB—Long wheelbase

STANDARD FEATURES.

- Chevy Van's advanced 4.1 Liter Six. This engine features a recalibrated camshaft for smooth operation.
- Tough unitized body. Chevy Van's body and frame are integrated into a strong single unit for high payloads.
- Rugged girder beam suspension. A rigid steel beam plus two contoured steel control arms at each end which flex freely up and down help to smooth out the ride.
- New energy-absorbing steering column incorporates an ignition switch and new multi-function "Smart Switch."
- Two-stage leaf-type rear springs that stiffen as the load weight increases help to provide a smooth, balanced ride.
- Computer-matched brakes. Front disc brakes and finned rear drum brakes are computer-matched to the GVWR of the van you order.
- Tight turning circle. The 110-in. wheelbase model Chevy Van features a tight wall-to-wall turning circle of just 42.8 ft. Great for city driving and parking.
- Extensive anti-corrosion treatments.
- Big payloads range up to 4077 lbs. when properly equipped. Payload includes passengers, equipment and cargo.

- Fiberglass or steel-belted radial tires (depending on model).
- The standard interior. Designed with two things in mind: comfort and practicality. Roomy, low-back seats are built to take tough usage. Easy-to-read instrument panel is attractive and functional.
- Inside hood release.


SELECTED AVAILABLE OPTIONS.

This is a partial list of available options for Chevy Vans.

- 5.0 Liter (305 Cu. In.) V8 engine with Electronic Spark Control (not available in California).
- 6.2 Liter V8 Diesel engine.
- 4-speed automatic overdrive transmission.
- Halogen headlamps.
- Front and rear heavy-duty shock absorbers.
- Rear heavy-duty springs.
- Heavy-duty battery.

SPORTVAN

The Chevy Sportvan, with available seating for up to 12, is ideal for van-pooling and other people-moving operations. Sportvan incorporates the basic value features of the Chevy Van with a choice of a standard and two optional passenger interiors.



POWERTRAIN COMBINATIONS

IMPALA 9C1 POLICE VEHICLES

Engines		Displacement			Axle Ratio
Order No.	Type	Liters	Cu. In.	Carb.	Ratio
RPO LC3(A)	V6	3.8	229	2-Bbl.	2.73
RPO LM1(B)	V8	5.7	350	4-Bbl.	3.08

(A) Produced by GM—Chevrolet Motor Division.

(B) Produced by GM—Chevrolet Motor Division or GM of Canada.

MALIBU 9C1 POLICE VEHICLES

Engines		Displacement			Axle Ratio
Order No.	Type	Liters	Cu. In.	Carb.	Ratio
RPO LC3(A)	V6	3.8	229	2-Bbl.	2.73
RPO LG4(B)	V8	5.0	305	4-Bbl.	2.73

(A) Produced by GM—Chevrolet Motor Division.

(B) Produced by GM—Chevrolet Motor Division or GM of Canada.

IMPALA 9C6 TAXI VEHICLES

Engines		Displacement			Axle Ratio
Order No.	Type	Liters	Cu. In.	Carb.	Ratio
RPO LC3(A)*	V6	3.8	229	2-Bbl.	2.73
RPO LG4(B)*	V8	5.0	305	4-Bbl.	2.73

(A) Produced by GM—Chevrolet Motor Division.

(B) Produced by GM—Chevrolet Motor Division or GM of Canada.

*Not available in California.

*Available only in California.

MALIBU 9C6 TAXI VEHICLES

Engines		Displacement			Axle Ratio
Order No.	Type	Liters	Cu. In.	Carb.	Ratio
RPO LC3(A)*	V6	3.8	229	2-Bbl.	2.73
RPO LG4(B)*	V8	5.0	305	4-Bbl.	2.73

(A) Produced by GM—Chevrolet Motor Division.

(B) Produced by GM—Chevrolet Motor Division or GM of Canada.

*Not available California.

*Available only in California.

TRUCK ENGINE AVAILABILITY

MODEL AVAILABILITY	Engine Description and Ordering Code								
	1.9 Liter (119 Cu. In.) 2-Bbl. L4(C)	2.0 Liter (121 Cu. In.) 2-Bbl. L4(A)	2.8 Liter (173 Cu. In.) 2-Bbl. V6(A)	4.1 Liter (250 Cu. In.) 2-Bbl. L6(A)	5.0 Liter (305 Cu. In.) 4-Bbl. W/ESC V8(B)	5.0 Liter (305 Cu. In.) 4-Bbl. V8(B)	5.7 Liter (350 Cu. In.) 4-Bbl. V8(A)	6.2 Liter (379 Cu. In.) Diesel V8(D)	7.4 Liter (454 Cu. In.) 4-Bbl. V8(A)
BLAZER S-10 (2WD) S-10 (4WD) K10 (4WD)	LR1†• LR1†•	LQ2* (Std.) LQ2* (Std.)	LR2 LR2			LE9* (Std.)	LS9†	LH6	
SUBURBAN C10 (2WD) K10 (4WD) C20 (2WD) K20 (4WD)					LE9* (Std.)		LS9• LS9 LT9 LT9	LH6 LH6 LL4 LL4	LE8
CHEVY VAN/SPORTVAN G10 G20 G30				LE3 (Std.) LE3• (Std.) LE3*■ (Std.)	LE9† LE9†	LF3†■ LF3†■	LS9▲ LS9▲• LT9, LS9▲#	LH6 LL4	

(A) Produced by GM—Chevrolet Motor Division. (B) Produced by GM—Chevrolet Motor Division or GM of Canada. (C) Produced by Isuzu Motors Ltd., Japan. (D) Produced by GM—Detroit Diesel Allison Division. *Not available in California. †Available in California only. ▲ Available on Sportvan only. •Not available in California on Sportvans. ■Not available on Sportvans. †Required on Sportvans in California. #Std. on Sportvan only. *Required in California.

A WORD ABOUT ASSEMBLY, COMPONENTS AND OPTIONAL EQUIPMENT IN THESE CHEVROLETS.

The Chevrolets described in this brochure are assembled at facilities of General Motors Corporation operated by the GM Assembly Division. These vehicles incorporate thousands of different components produced by various divisions of General Motors and by various suppliers to General Motors. From time to time during the manufacturing process, it may be necessary, in order to meet public demand for particular vehicles or equipment, or to meet federally mandated

emissions, safety and fuel economy requirements, or for other reasons, to produce Chevrolet products with different components or differently sourced components than initially scheduled. All such components have been approved for use in Chevrolet products and will provide the quality performance associated with the Chevrolet name. With respect to extra-cost optional equipment, make certain you specify the type of equipment you desire on your vehicle when ordering it from your dealer. Some options may be unavailable when your car is built. Your dealer receives

advice regarding current availability of options. You may ask the dealer for this information. GM also requests the dealer to advise you if an option you ordered is unavailable. We suggest that you verify that your car includes the optional equipment you ordered or, if there are changes, that they are acceptable to you.

A WORD ABOUT ENGINES

Some Chevrolets are equipped with engines produced by other GM divisions, subsidiaries, or affiliated companies worldwide. Please see your dealer for details.

ADDITIONAL EQUIPMENT

IMPALA	MALIBU			IMPALA	MALIBU		
		REGULAR PRODUCTION OPTIONS (RPO)					
•	•	C60	Air conditioning, Four Season	•	•	6A4	Key, single locking—single vehicle (3 keys)
•	•	U63	GM-Delco AM push-button radio	•	•	6C5	Lamp, dome and reading
•	•	U69	GM-Delco AM/FM push-button radio	•	•	6C7	Lamp—extra dome between visors with switch attached
•	•	U58	GM-Delco AM/FM stereo	•	•	7X4	Lamp, luggage compartment
•	•	TR9	Auxiliary lighting group	•	•	7Y1	Lamp, underhood
•	•	B84	Body side moldings	•	•	6T7	Molding, body side (black)
•	•	BW2	Body side moldings	•	•	6T3	Molding reveal, quarter belt
•	•	N33	Comfortilt steering wheel	•	•	6L4	Rearview outside mirror RH
•	•	K35	Automatic speed control with resume feature	•	•	6G2	Roof reinforcement
•	•	B32	Floor mats, front	•	•	6C1	Seat, heavy-service front bench
•	•	B33	Floor mats, rear	•	•	5Z4	Spare wheel and tire deletion
•	•	V30	Front and rear bumper guards	•	•	7X1	Speaker, radio—dual, dash-mounted (4-ohm, 42" lead)
•	•	VE5	Bumper rub strips, front and rear	•	•	6Z1	Speedometer cable, two-piece (not available with automatic speed control)
•	•	C49	Defogger, electric rear window	•	•	7W7	Spotlight LH (Unity model 250, 5-inch)
•	•	B93	Door edge guards	•	•	7W8	Spotlight LH (Unity model 225, 6-inch)
•	•	U35	Electric clock, conventional (included on Malibu with UF7 Gage Package)	•	•	7W9	Spotlight LH and RH (Unity model 225, 6-inch)
•	•	UE8	Electric clock, digital	•	•	7L1	Suppression, radio interference
•	•	B37	Front and rear floor mats, color-keyed	•	•	1K5	Transmission—first-gear blockout
•	•	CD4	Intermittent windshield wiper system	•	•	5V3	Wheel trim, Rally type
•	•	G80	Limited slip differential	•	•	6C8	Wiring RG58 A/U antenna cable (behind dome lamp to trunk)
•	•	AU3	Power door lock system	•	•	6E4	Wiring—six 12-gage leads from dash to roof
•	•	A31	Power windows	•	•	6E5	Wiring—four 12-gage leads from dash to roof
•	•	AG9	Power (6-way) front bench seat				POLICE VEHICLES ONLY
•	•	U75	Power antenna (includes suppression; available only with radio equipment)	•	•	6H1	Horns, dual
•	•	BS1	Quiet Sound Group—insulation	•	•	7Y2	Lamp, door-ajar warning
•	•	D33	Rearview mirror, LH remote control	•	•	6H8	Lock, rear door vent window
•	•	DF3	Rearview mirror, RH & LH remote control	•	•	6B2	Rear door handles—inoperative
•	•	AO1	Tinted glass—all windows	•	•	6A3	Rubber front and rear one-piece floor mat
•	•	AO2	Tinted glass—windshield only (U76 required for windshield antenna on Impala)	•	•	6B8	Seat construction, heavy-service front 55/45
•	•	U76	Windshield antenna (includes radio suppression)	•	•	6B9	Seat construction, heavy-service front bucket
			SPECIAL EQUIPMENT OPTIONS (SEO)	•	•	6F3	Seat construction, heavy-service front 50/50
			POLICE AND TAXI VEHICLES	•	•	6C2	Seat construction, heavy-service rear bench
•	•	6F8	Ashtray relocation from under dash to front door armrest	•	•	6R6	Seat upholstery, seamless heavy-duty vinyl. (See Trim Charts pp. 4 and 5)
•	•	6C0	Conduit—1 1/2-inch radio conduit routed inside from dash to trunk	•	•	6R7	Seat upholstery, seamless heavy-duty cloth. (See Trim Charts pp. 4 and 5)
•	•	7L9	Cooler—power steering fluid (LM1 and LG4 engines only) (included when 9C1 is ordered with V8 engine)	•	•	6R8	Seat upholstery, heavy-duty seamless cloth front; seamless vinyl rear. (See Trim Charts pp. 4 and 5)
•	•	7P8	Cooler, engine oil (LM1 and LG4 engines only)	•	•	6N1	Left front door handle—lock release
•	•	8E5	Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only)	•	•	6B4	Spare tire relocation (available only with 5JS/5JN tires)
•	•	6H5	Electric trunk opener in dash	•	•	9A3	Speedometer gear change
•	•	7P4	Engine block heater (not available with YF5)	•	•	8A1	Speedometer, production type (for undercover work)
•	•	7Z4	Gages, voltmeter, oil pressure and water temperature	•	•	6C6	Switches, rear doorjamb dome light
•	•	7K3	Generator, 70-amp Delcotron (50-amp at 700 RPM idle)	•	•	7Y6	Switches, doorjamb, inoperative for dome light
•	•	7K4	Generator, 80-amp Delcotron (58-amp at 700 RPM idle)	•	•	5JS	Tires, P225/70R-15 fabric radial w/w police service (requires 9A3) (5 tires alike)
•	•	6B7	Hole in roof panel	•	•	5JN	Tires, P225/70R-15 fabric radial b/w police service (requires 9A3) (5 tires alike)
•	•	8B7	Hoses, silicone radiator and heater (LM1 and LG4 engines only)	•	•	5KV	Tires, P205/70R-14 fabric radial b/w police service (requires 9A3) (5 tires alike)
•	•	6E2	Key, single locking—fleet keyed alike (3 keys)	•	•	5GQ	Tires, P225/70R-15 steel-belted b/w non-high speed
				•	•	5KW	Tires, P205/70R-14 fabric radial w/w police service (requires 9A3) (5 tires alike)

USA-1 IS TAKING CHARGE

